




KP
PIERCE NUT
SIZES

 Standard sizes KP Pierce Nut

Name	Thread	D	W	H	G	T*	ØK
KP 5-S	M5-0.80	14.40	11.40	5.00	5.50	0.60-1.20	7.12
KP 5-H	M5-0.80	14.40	11.40	5.00	6.00	1.20-2.00	7.12
KP 6-H M5	M5-0.80	15.80	12.72	4.80	5.80	1.20-2.00	8.42
KP 6-S	M6-1.00	15.80	12.72	5.00	5.50	0.60-1.40	8.42
KP 6-T	M6-1.00	15.80	12.72	5.00	5.70	0.80-1.60	8.42
KP 6-H	M6-1.00	15.80	12.72	4.80	6.00	1.20-2.00	8.42
KP 8-S	M8-1.25	19.50	15.52	6.50	7.00	0.60-1.40	10.42
KP 8-T	M8-1.25	19.50	15.52	6.50	7.30	0.80-1.60	10.42
KP 8-H	M8-1.25	19.50	15.52	6.50	7.70	1.20-2.00	10.42
KP 10-H	M10-1.50	23.60	18.80	8.80	10.00	1.20-2.00	13.30

*Applications outside this range can be tested and verified





WHANT TO KNOW MORE?

Contact us at Fastit for a more detailed presentation and how we can help you with your challenges.

–

info@fastitsolution.se

+46 82 33 33 33